



## Your Experience Matters

SPRITAM® (levetiracetam) Tablets for Oral Suspension, specially formulated to be surprisingly easy to take.

### Indications and Usage

SPRITAM (levetiracetam) is a prescription medicine taken by mouth that is used to treat partial-onset seizures in people 4 years of age and older. SPRITAM is also used with other medicines to treat myoclonic seizures in people 12 years of age and older with juvenile myoclonic epilepsy, and primary generalized tonic-clonic seizures in people 6 years of age and older with certain types of generalized epilepsy. SPRITAM is recommended for use in people weighing more than 20 kg (44 lbs).

### Important Safety Information

SPRITAM may not be for everyone. Ask your healthcare provider if SPRITAM is right for you. Do not take SPRITAM if you are allergic to levetiracetam.

### Warnings and Precautions

Antiepileptic drugs, including SPRITAM, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your healthcare provider right away if you have new or worsening symptoms of depression, any unusual changes in mood or behavior, or suicidal thoughts, behavior, or thoughts about self-harm that you have never had before or may be worse than before.



**Spritam**<sup>®</sup>  
(levetiracetam)  
Tablets for Oral Suspension



Continue your  
experience at  
[SPRITAM.com](http://SPRITAM.com)

## Welcome to the SPRITAM Family!

Your doctor has prescribed SPRITAM® (levetiracetam) to help manage your seizures. Learn more about your therapy regimen because your experience matters.

### Getting Started with SPRITAM

Whether you are new to using medicine to help manage seizures or you have experience with other epilepsy treatments, this brochure, along with the Medication Guide, is designed to help you understand SPRITAM and why you or your loved one may find SPRITAM surprisingly easy to take.

SPRITAM is the first and only medicine made using 3D-printing (3DP). The 3DP process forms single unit doses of medicine that are solid yet porous (contains tiny spaces or holes). This porosity enables complete flash-dispersion with just a sip of liquid in the mouth before swallowing. Manufactured using 3DP, SPRITAM is specially formulated to be surprisingly easy to take.

### Important Safety Information (continued)

SPRITAM may cause extreme sleepiness, tiredness, and weakness, and problems with muscle coordination. You should not drive, operate machinery or do other dangerous activities until you know how SPRITAM affects you.

## Your Experience Matters

- No measuring or refrigeration required
- Available in 4 strengths up to 1,000 mg
- Flash-disperses in the mouth with just a sip of liquid



Place tablet on tongue

Take a small sip of water

Tablet flash-disperses within seconds for ease of swallowing\*

Tablets displayed are for illustrative purposes only. Not actual size.  
\*SPRITAM disintegrates in a mean time of 11 seconds (range of 2 to 27 seconds)

SPRITAM can cause severe allergic reactions after the first dose or at any time during treatment. Discontinue SPRITAM and seek immediate medical attention if you have allergic reactions such as swelling of the face, lips, eyes, tongue and throat, trouble swallowing or breathing, and hives.

Important Safety Information continued on next page

  
**Spritam**<sup>®</sup>  
(levetiracetam)  
Tablets for Oral Suspension

## Reasons Why SPRITAM may be for you

SPRITAM may be an appropriate option if you or your loved one:

- **Prefer a formulation that requires no measuring**
- **Have difficulty swallowing tablets or capsules**
- **Dislike the taste and/or texture of liquid medicines**
- **Prefer the unit dose accuracy of a tablet with the ease of swallowing a liquid**

SPRITAM is a brand name drug with the active ingredient levetiracetam. While there are many different generic manufacturers of levetiracetam, there is only one manufacturer of SPRITAM. This means prescription SPRITAM offers you an identical product each month, whereas with multiple generic suppliers, levetiracetam inactive formulation may vary.

You have a choice in dosage form, and the flash-dispersing form of SPRITAM may be the option preferred by you or your loved one. When your doctor writes a prescription for SPRITAM, ensure that the pharmacist fills it for SPRITAM.



### Important Safety Information (continued)

Serious skin rashes can happen after you start taking SPRITAM. There is no way to tell if a mild rash will become a serious reaction. Call your healthcare provider right away at the first sign of rash.

Do not stop taking SPRITAM unless instructed by your healthcare provider. Stopping a seizure medication suddenly can cause you to have seizures more often or seizures that will not stop, which is a very serious problem.

## Available In Multiple Strengths



If you become pregnant or intend to become pregnant, contact your healthcare provider right away.

Important Safety Information continued on next page


**Spritam**<sup>®</sup>  
(levetiracetam)  
Tablets for Oral Suspension

## Taking SPRITAM

Your healthcare provider (HCP) will tell you how much SPRITAM to take and when to take it.

Remember these helpful tips when taking SPRITAM:

- ⊖ **Be sure to take the whole tablet**
- ⌚ **Should be taken at the same time each day**
- 🍽️ **Can be taken with or without food**



**Alternately,** add whole SPRITAM tablet(s) to a small volume of liquid in a cup (1 tablespoon or enough to cover the medicine), and swirl gently. Swallow right after the tablet(s) disintegrate. If there is any medicine left in the cup, add a small volume of liquid to the cup, swirl gently, and swallow the liquid. Your HCP may change your dose. Do not change your dose or stop taking SPRITAM without talking to your HCP.

### Important Safety Information (continued)

#### Common Adverse Reactions

In clinical trials, the most common side effects seen in adults who take SPRITAM include sleepiness, weakness, dizziness, and infection. In addition to those previously listed, the most common side effects seen in children who take SPRITAM include tiredness, acting aggressive, nasal congestion, decreased appetite, and irritability.

## Carrying and Storing SPRITAM



SPRITAM is designed to be easy to take to work, school, and even on vacation. Since SPRITAM disintegrates in the mouth with just a sip of liquid, you don't need to hide or disguise the tablet in food. This may mean one less edible item to pack when traveling.

Plus, SPRITAM comes in individually packaged doses.<sup>1</sup>

- **No spoons or medication droppers are needed**
- **No refrigeration is needed**



**Store SPRITAM at room temperature  
59°F to 86°F (15°C to 30°C)**

Keep SPRITAM and all medicines out of reach of children.

It's important to take or administer SPRITAM every day as prescribed and never miss a dose. Whether you're at home or on the go, plan ahead:

- ✓ **Try to always have enough medication on hand**
- ✓ **Have a back-up plan in case you run out**
- ✓ **Check ahead with local pharmacies when traveling**

Talk to your healthcare provider about other possible side effects with SPRITAM. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088. To report SUSPECTED ADVERSE REACTIONS, contact Aprecia Pharmaceuticals, LLC at 1-844-882-7732.

**Important Safety Information continued on next page**

1. SPRITAM Full Prescribing Information. Aprecia Pharmaceuticals, LLC.

**Spritam**<sup>®</sup>  
(levetiracetam)  
Tablets for Oral Suspension

## Commonly Asked Questions

- **There is some powder in the blister pack when I open and remove the Spritam tablet. Is this normal?**

Yes, this is completely normal. Because SPRITAM is made using 3D printing, which does not use compression forces, it is normal to see a small amount of residual powder remaining in the blister pack.

- **Can Spritam be swallowed without liquid/water?**

No, SPRITAM must be taken with a sip of liquid. SPRITAM is intended to disintegrate in your mouth when taken with a sip of liquid. Please refer to the dosing instructions on page 6, and see the Medication Guide for more details regarding the proper dosing and administration of SPRITAM.

- **How much liquid do I need when I take/administer Spritam?**

SPRITAM must be taken with a sip of liquid. In a study involving 33 subjects, the average sip volume was approximately 1 tablespoon or 15 mL of water. Please refer to complete dosing and administration instructions on page 6 and in the Medication Guide for more information.

- **Does Spritam contain gluten or any dyes?**

No, SPRITAM does not contain any gluten or dyes.

## Important Safety Information (continued)

### Administration

SPRITAM is intended to disintegrate in the mouth when taken with a sip of liquid. As a main way to take SPRITAM, place a tablet on the tongue with a dry hand, and then take a sip of liquid. SPRITAM should be swallowed only after the tablet disintegrates in the mouth.

SPRITAM should not be swallowed intact. Partial tablet(s) should not be administered.

## Commonly Asked Questions (continued)

- **Is SPRITAM compatible with a ketogenic diet?**

SPRITAM contains two sugar alcohols, mannitol and glycerin, across all tablet strengths. Their calorie and carbohydrate impact across all strengths is negligible. At the maximum recommended daily dose of 3,000 mg/day, SPRITAM would contribute no more than 1 calorie and approximately 0.25 grams of carbohydrates based upon the amount of glycerin and mannitol that would be consumed. This impact would be proportionally lower for total daily doses less than 3,000 mg/day.

- **Where is Spritam manufactured?**

SPRITAM is manufactured by Aprelia Pharmaceuticals in Blue Ash, Ohio, USA. The manufacturing facility is the first and only in the world to have commercial scale, GMP (Good Manufacturing Practice) compliant equipment and processes for three-dimensionally printed, FDA approved pharmaceutical products.

**Have any more questions? Please contact [844-SPRITAM \(844-777-4826\)](tel:844-SPRITAM)**

Alternately, add whole SPRITAM tablet(s) to a small volume of liquid in a cup and swirl gently. Swallow right after the tablet(s) disintegrate. If there is any medicine left in the cup, rinse with a small volume of liquid, swirl and swallow the remaining contents.

**Important Safety Information continued on next page**

**Spritam**<sup>®</sup>  
(levetiracetam)  
Tablets for Oral Suspension





**Pay as little as \$10** per 30-day Supply with our SPRITAM Serve\* Savings Program.  
No Coupon Needed! Discount automatically applied at the pharmacy.

Coverage	You May Pay As Little As*
Insured <b>With</b> Prescription Coverage	<b>\$10</b>
Insured <b>Without</b> Prescription Coverage	<b>\$75</b>

**For additional assistance, please call (844) SPRITAM (844-777-4826)**

Eligible commercially insured patients can pay as little as \$10 per 30-day supply. The SPRITAM Serve savings program takes the hassle out of getting your best price on SPRITAM.

Simply take your eligible prescription to a participating pharmacy, and the discount will be automatically applied to your co-pay.

\*The SPRITAM SERVE savings program is available to commercially insured patients whose managed care co-pay for SPRITAM exceeds \$10 for a 30 day supply. Prasco, LLC buys down a one-month, 60 tablet supply for a commercially insured claim to as low as \$10 by applying an e-voucher at retail pharmacies who participate in e-voucher programs. Patient savings may vary based on insurance coverage and tablet amount. Maximum coverage limits and exclusions apply. This offer is good for a maximum of 365 days of therapy over 12 months and is subject to change. This offer may not be combined with Medicare, Medicaid and TRICARE or other federal or state programs. Please see [Spritam.com/savings](http://Spritam.com/savings) for eligibility criteria and terms and conditions.

Manufactured by Aprecia Pharmaceuticals, LLC, Blue Ash, OH 45242 USA.  
Distributed by Prasco, LLC, Mason, OH 45040 USA.

**SPRITAM® is a registered trademark of Aprecia Pharmaceuticals, LLC.  
© 2022 Prasco LLC. All rights reserved.**